

EP0352375

Publication Title:

Preparation for dyeing and setting hair.

Abstract:

A preparation for dyeing and setting hair in a permanent wave comprising a first agent including L-cysteine monohydrochloride monohydrate solution and/or thioglycolic acid, P-phenylenediamine or O-phenylenediamine, resorcinol, anti-oxidation agent heavy metal ion sealing agent and mono-ethanolamine, and a second agent containing hydrogen peroxide. The preparation allows dyeing and setting of hair in a single operation over a short period.

Data supplied from the esp@cenet database - <http://ep.espacenet.com>

⑫

EUROPEAN PATENT APPLICATION

⑲ Application number: 88306860.3

⑤① Int. Cl.4: **A61K 7/09**

⑳ Date of filing: 26.07.88

④③ Date of publication of application:
31.01.90 Bulletin 90/05

⑥④ Designated Contracting States:
AT BE CH DE ES FR GB GR IT LI LU NL SE

⑦① Applicant: Chang, Teh-Shan
7F, No. 122, Sec. 1 Ho Ping West Road
Taipei(TW)

⑦② Inventor: Chang, Teh-Shan
7F, No. 122, Sec. 1 Ho Ping West Road
Taipei(TW)

⑦④ Representative: MacGregor, Gordon et al
ERIC POTTER & CLARKSON 14 Oxford Street
Nottingham, NG1 5BP(GB)

⑤④ Preparation for dyeing and setting hair.

⑤⑦ A preparation for dyeing and setting hair in a permanent wave comprising a first agent including L-cysteine monohydrochloride monohydrate solution and/or thioglycolic acid, P-phenylenediamine or O-phenylenediamine, resorcinol, anti-oxidation agent heavy metal ion sealing agent and mono-ethanolamine, and a second agent containing hydrogen peroxide. The preparation allows dyeing and setting of hair in a single operation over a short period.

EP 0 352 375 A1

PREPARATION FOR DYEING AND SETTING HAIR

This invention relates to a preparation for dyeing and setting hair.

To dye and form a permanent wave in hair takes a long period of time and is very inconvenient for both the hairdresser and his client.

According to the conventional procedure, the setting and dyeing are carried out in two stages, e.g. with a separation of a week. For example, the dyeing agent is first formed by mixing 2.4% P-phenylenediamine, 16.7% hydrogen peroxide (35% H_2O_2 in weight) and water which is then applied to the hair. The whole procedure will take about 30 - 45 minutes, but the setting operation has to be carried out in the following week.

Conversely, if the setting operation is carried out first, it is usual to use a first agent composed of 12% ammonium thioglycolate, 1.5% potassium carbonate and water and a second agent composed of 3% potassium bromate. The whole procedure will take about 30 - 50 minutes and in addition to dyeing, will take more than 2 hours.

It is, therefore, an object of the present invention to provide a preparation for dyeing hair which allows setting in a permanent wave at the same time and which is economic to use.

The preparation for dyeing and setting hair, according to this invention, is composed of the following first and second agents:

A. The first agent contains the following constituents by weight:

1. Main setting agent, composed of 3 - 10% L-cysteine monohydrochloride monohydrate solution, 0.1 - 6% thioglycolic acid. The L-cysteine monohydrochloride monohydrate solution and the thioglycolic acid can be used individually, but the quantity used should be appropriately changed according to the practice.

2. Dyeing agent, composed of oxidation dye such as P-phenylenediamine and O-phenylenediamine. P-phenylenediamine is more frequently used. The quantity used is about 0.01 - 4%.

3. Modifying agent, composed of resorcinol and the quantity used is about 0.0 - 1%.

4. Antioxidation agent, composed of ascorbic acid and/or sodium metabisulfite. Both can be used simultaneously or individually and the quantity is about 0.1 - 1%.

5. Heavy metal ion sealing agent such as bisodium salt, trisodium salt or tetrasodium salt of EDTA and the quantity used is about 0.1 - 1%.

6. PH value adjusting agent, composed of monoethanolamine and/or ammonium solution. The PH value should be between 9 - 9.5.

7. Surfactant agent, composed of non-ions, anode ions, cathode ions or dual-ion interface catalyst agent. The most frequently used is Tween 20 and the quantity used is about 0.1 - 1%.

8. Solvent, composed of alcohol such as ethyl alcohol or isopropyl alcohol and/or water added up to 100%.

Several preferred embodiments of the present invention are described as follows:

35

Constituent	Embodiment 1 Percentage	Embodiment 2 Percentage	Embodiment 3 Percentage
L-cysteine monohydrochloride monohydrate solution	3	6	2
thioglycolic acid	5.5	2	6
P-phenylenediamine	1.9	1.9	1.9
O-phenylenediamine	0.5	0.4	0.5
ascorbic acid	0.5	1.0	---
sodium metabisulfite	0.5	---	1.0
EDTA 4 Na salt	1.0	1.0	1.0
Tween 20	1.0	1.0	1.0
Alcohol	8	6	10
Water	78.1	80.7	87.6

50

The above-mentioned constituents are blended well and then added to monoethanolamine and ammonia solution (1:1 weight in proportion) to adjust PH value to 9.2 ± 0.2 .

B. The second agent is the hydrogen peroxide solution containing 3 - 8% hydrogen peroxide and may be added with phosphorous acid to adjust the PH value to 4 so as to stabilize the hydrogen peroxide, if

necessary.

The setting and the dyeing agents are blended without instability and both operations can be achieved in a short period.

The average required quantity of the preparation is about 60 - 100 c.c. for one person.

5 The procedures for carrying out setting and dyeing are as follows:

1. Wash thoroughly, dry and separate the hair into different areas;
2. Apply one half of 30 - 50 c.c. of the first agent to all areas of the hair and then wave the hair;
3. Apply the other half of the first agent to every hair roller;
4. Wait 8 - 20 minutes.

10 5. Spray or apply well the second agent on the hair rollers twice, controlling the curvature and the dyeing effect.

6. Wait 15 - 25 minutes and detach the hair rollers; and

7. Other required means for hair dressing.

The wave may be maintained for 80 - 100 days and the colour of the dyed hair may be modified by
15 adjusting the proportion of the P-phenylenediamine, resorcinol and hydrogen peroxide.

Claims

20 1. A preparation for dyeing hair and for setting a permanent wave comprising:-

A) a first agent comprising by weight,

(a) 3 - 16% L-cysteine monohydrochloride monohydrate solution and/or thioglycolic acid;

(b) 0.01 - 4% P-phenylenediamine or O-phenylenediamine;

(c) 0.01 - 1% resorcinol;

25 (d) 0.01 - 1% antioxidation agent;

(e) 0.01 - 1% heavy metal ion sealing agent;

(f) 0.1 - 1% 0.1 - 1% surfactant agent.

(g) monoethanolamine and/or ammonia to adjust the PH to 9.1 ± 0.2 ;

(h) solvent forming the balance;

30 B) a second agent composed of hydrogen peroxide solution with 3 - 8% by weight of effective H_2O_2 .

2. A preparation according to Claim 1, wherein said antioxidation agent is ascorbic acid and/or sodium metabisulfite.

3. A preparation according to Claim 1 or 2, wherein said heavy metal ion sealing agent is bisodium salt, trisodium salt or tetrasodium salt of EDTA.

35 4. A preparation according to Claim 1, 2 or 3, wherein the surfactant agent is a non-ionic, anionic, cationic or dual-ion surfactant agent.

5. A preparation according to any preceding claim, wherein said solvent is ethyl alcohol, isopropanol and/or water.

40 6. A preparation according to any preceding claim containing 3 - 10% L-cysteine monohydrochloride monohydrate and 0.1 - 6% thioglycolic acid.

45

50

55



DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int. Cl.4)
Y	US-A-4 630 621 (PONTANI) * Claims 1,3; column 5, lines 26-35; column 2, lines 22-26,40-47; column 4, lines 1-25 * ---	1-6	A 61 K 7/09
Y	EP-A-0 260 716 (BRISTOL MYERS CO.) * Claims 1,3,9-12; page 1, line 46 - page 2, line 25; page 4, lines 21-24 * ---	1-6	
Y	GB-A-1 077 758 (HOYU K.K.) * Claims 1,2; page 2, line 124 - page 3, line 6 * ---	1-6	
Y	GB-A-2 018 303 (L'OREAL) * Page 3, line 50 - page 4, line 6; claims 1-19 * ---	1-6	
A	GB-A-2 018 836 (L'OREAL) * Whole document * ---	1-6	
A	FR-A-2 608 423 (FLANDRIN INTERNATIONAL) * Whole document * -----	1-6	TECHNICAL FIELDS SEARCHED (Int. Cl.4) A 61 K 7/00
The present search report has been drawn up for all claims			
Place of search THE HAGUE		Date of completion of the search 22-12-1988	Examiner GERLI P.F.M.
<div>CATEGORY OF CITED DOCUMENTS</div> <div><div>X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document</div><div>T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons ----- & : member of the same patent family, corresponding document</div></div>			